


SpaceArm Mount Options



Mount Options







Above Desk Clamp (AC)

Above desk mounting system that is suitable for sliding desktops.


Desktop thickness of 0 - 40mm.



Above Desk Clamp (AC)



Mount Options





Bolt Through Clamp (BT)

Secure and subtle, the Bolt Through is fixed through the desktop.


Desktop thickness of 20 - 40mm.



Bolt Through Clamp (BT)




Mount Options



C Clamp (CC)





Mounts to the worktop without the need to screw through the surface.

Desktop thickness of 0 - 90mm.




Technical Drawings

C Clamp (CC)



Mount Options








Large C-Clamp (CL)

Wider base above desk gives improved balance for heavy duty setups.


Desktop thickness of 0 - 90mm.



Large C-Clamp (CL)



Mount Options







Grommet Mount (GM)

Provides hole for cable management
(hole must be cut out from desk).


Desktop thickness of 0 - 30mm.



Grommet Mount (GM)




Mount Options



Mini Clamp (MCC)





Under desk, low profile clamping system.

Desktop thickness of 19 - 27mm.




Technical Drawings

Mini Clamp (MCC)




Mount Options







Long Mini Clamp (LMCC)

Under desk, low profile clamping system.


Desktop thickness of 19 - 27mm.



Long Mini Clamp (LMCC)



Mount Options







Mini CL-Clamp (MCL)

Under desk, low profile clamping system.


Desktop thickness of 19 - 27mm.



Mini CL-Clamp (MCL)



Mount Options







Long Mini CL Clamp (LMCL)

Large base, under desk, low profile mounting system.


Desktop thickness of 19 - 27mm.



Long Mini CL Clamp (LMCL)



Mount Options



HCC Clamp (HCC)





Under desk, low profile clamping system.

Desktop thickness of 25 - 36mm.




Technical Drawings

HCC Clamp (HCC)



Mount Options



HCL Clamp (HCL)





Large base, under desk, low profile mounting system.

Desktop thickness of 25 - 36mm.




Technical Drawings

HCL Clamp (HCL)




Mount Options



Multi-Flex (MF)





Multiple mounting hubs can be added. 600mm is standard. Bespoke lengths are available.

Desktop thickness of 0 - 51mm.




Technical Drawings

Multi-Flex (MF)




Mount Options






SpaceBeam I Mount (BM)


Quick and easy to mount and
simple to reposition monitor.



SpaceBeam I Mount (BM)



Mount Options







SpaceBeam II Mount (VM-ADJL4)


Quick and easy to mount and
simple to reposition monitor.



SpaceBeam II Mount (VM-ADJL4)



Mount Options



Wall Mount (VM-WM)

Versatile wall mounting plate for multiple uses when desk area is limited.



Wall Mount (VM-WM)

