


SpaceArm Mount Options



Mount Options



Above Desk Clamp (AC)





Above desk mounting system that is suitable for sliding desktops.

Desktop thickness of 0 - 40mm.




Above Desk Clamp (AC)

Application: for single and double monitor arms



Mount Options



Bolt Through Clamp (BT)



Secure and subtle, the Bolt Through is fixed through the desktop.

Desktop thickness of 20 - 40mm.




Bolt Through Clamp (BT)

Application: for single and double monitor arms




Mount Options



C Clamp (CC)





Mounts to the worktop without the need to screw through the surface.

Desktop thickness of 0 - 90mm.




C Clamp (CC)

Application: for single and double monitor arms



Mount Options



Large C-Clamp (CL)






Wider base above desk gives improved balance for heavy duty setups.

Desktop thickness of 0 - 90mm.




Large C-Clamp (CL)

Application: for single and double monitor arms



Mount Options



Grommet Mount (GM)





Provides hole for cable management
(hole must be cut out from desk).

Desktop thickness of 0 - 30mm.




Grommet Mount (GM)

Application: for single and double monitor arms




Mount Options



Mini Clamp (MCC)





Under desk, low profile clamping system.

Desktop thickness of 19 - 27mm.




Mini Clamp (MCC)

Application: for single and double monitor arms




Mount Options



Long Mini Clamp (LMCC)





Under desk, low profile clamping system.

Desktop thickness of 19 - 27mm.




Long Mini Clamp (LMCC)

Application: for single and double monitor arms



Mount Options



Mini CL-Clamp (MCL)





Under desk, low profile clamping system.

Desktop thickness of 19 - 27mm.




Mini CL-Clamp (MCL)

Application: for single and double monitor arms



Mount Options



Long Mini CL Clamp (LMCL)





Large base, under desk, low profile mounting system.

Desktop thickness of 19 - 27mm.




Long Mini CL Clamp (LMCL)

Application: for single and double monitor arms



Mount Options



HCC Clamp (HCC)





Under desk, low profile clamping system.

Desktop thickness of 25 - 36mm.




HCC Clamp (HCC)

Application: for single and double monitor arms



Mount Options



HCL Clamp (HCL)





Large base, under desk, low profile mounting system.

Desktop thickness of 25 - 36mm.




HCL Clamp (HCL)

Application: for single and double monitor arms




Mount Options



Multi-Flex (MF)





Multiple mounting hubs can be added.
600mm is standard. Bespoke lengths
are available.

Desktop thickness of 0 - 51mm.




Multi-Flex (MF)

Application: for single monitor arms




Mount Options






SpaceBeam I Mount (BM)

Quick and easy to mount and
simple to reposition monitor.




SpaceBeam I Mount (BM)

Application: for single monitor arms



Mount Options







SpaceBeam II Mount (VM-ADJL4)

Quick and easy to mount and
simple to reposition monitor.




SpaceBeam II Mount (VM-ADJL4)

Application: for single monitor arms



Mount Options



Wall Mount (VM-WM)

Versatile wall mounting plate for multiple uses when desk area is limited.



Wall Mount (VM-WM)

Application: for single monitor arms

