

SpaceArm

Smart, scalable, flexible

With its unique gas-lift system, SpaceArm is one of the strongest, most durable monitor arms on the market. Its flexible design means that SpaceArm can be adapted to meet new demands, from adding extra monitors to supporting different screen sizes. SpaceArm combines style with value and efficiency.

Tested by
firainternational

Details available on request. Report references:
TRELf86678 to TRELf86686



Future-proof
designs



Customised
solutions



Customer
support



Product
continuity



Lifetime
guarantee



Sustainable
solutions

Why choose SpaceArm?



Scalable and future proof

You can swap components of your standard SpaceArm to create other configurations, without changing the whole product. This includes the Laptop Stand and Flyt touchscreen arm.

Adjustable

Simple to adjust, whether you're sitting or standing.

Sustainable design

SpaceArms can be reused, re-purposed and recycled.

Customisable

Options to support:

- All sizes of monitors
- Many different mounting requirements
- A wide range of working postures
- Monitor weights from 0.4 - 13.6kg
- Any colour preference

Reduced clutter

Integrated cable management keeps wires tidy and easy to access.


Simple & Intuitive

Operating instructions are attached to all monitor mounting plates.

SpaceArm has several unique and user-friendly features:




Quick-change mount option allows monitors to be changed quickly and efficiently. There is also a direct mount option for added security.



Patented constant pressure joint offers 360° movement



Plastic clips hold cables securely and allow ease of movement



Vertical reach up to: 558mm
Horizontal reach up to: 692mm



Gas spring holds the monitor in position and can support weight ranges 0.4 - 13.6 kg



Adjustment screw offers accuracy and reliability for counterbalancing monitor weight




Powder coat polymer is tough, durable and easy to clean




Rotational stop prevents monitor from swinging too far


Single Monitor SpaceArm



SA01




SS01




ST01




SP01



SX01



SA01XP



SA012

Monitor arm	Weight range*	Maximum vertical reach	Maximum horizontal reach	Rotation	Tilt
SA01	0.4 - 13.6 kg	464mm	520mm	360°	20° +/ 20° -
SS01	0.4 - 13.6 kg	558mm	495mm	360°	20° +/ 20° -
ST01	0.4 - 13.6 kg	200mm	220mm	360°	20° +/ 20° -
SP01	0.4 - 13.6 kg	250mm	376mm	360°	20° +/ 20° -
SX01	0.4 - 13.6 kg	464mm	648mm	360°	20° +/ 20° -
SA01XP	0.4 - 13.6 kg	503mm	692mm	360°	20° +/ 20° -
SA012	0.4 - 13.6 kg	464mm	520mm	360°	20° +/ 20° -

Colours available:

Black (BLK)	Platinum (PLT)	White (WHT)	Soft White (VWH)	Custom
-------------	----------------	-------------	------------------	--------

VESA Options:

Direct Mount	(QC) Quick Change
--------------	-------------------

*Gas Strut Weight Range:

250N "Ultra-Lightweight" 0.4 to 3 KGS (Available upon request)


500N "Standard" 2.6 to 7.2 KGS

400N "Lightweight" 0.9 to 4.5 KGS

950N "Heavy" 6.8 to 13.6 KGS



Multiple Monitors SpaceArm (Double)



Monitor arm	Weight range*	Maximum vertical reach	Maximum horizontal reach	Rotation	Tilt
SA02	0.4 - 13.6 kg	464mm	520mm	360°	20° +/- 20° -
SS02	0.4 - 13.6 kg	558mm	495mm	360°	20° +/- 20° -
SX02	0.4 - 13.6 kg	464mm	648mm	360°	20° +/- 20° -
SA02XP	0.4 - 13.6 kg	503mm	692mm	360°	20° +/- 20° -
SA11	0.4 - 13.6 kg	742mm	520mm	360°	20° +/- 20° -

Colours available:

Black (BLK)	Platinum (PLT)	White (WHT)	Soft White (VWH)	Custom
-------------	----------------	-------------	------------------	--------

VESA Options:

Direct Mount	(QC) Quick Change
--------------	-------------------

*Gas Strut Weight Range:

250N "Ultra-Lightweight" 0.4 to 3 KGS (Available upon request)

500N "Standard" 2.6 to 7.2 KGS


400N "Lightweight" 0.9 to 4.5 KGS

950N "Heavy" 6.8 to 13.6 KGS



Multiple Monitors

SpaceArm (Quad)



SA22


Monitor arm	Weight range*	Maximum vertical reach	Maximum horizontal reach	Rotation	Tilt
SA22	0.4 - 13.6 kg	742mm	520mm	360°	20° +/- 20° -
Colours available:					
Black (BLK)	Platinum (PLT)	White (WHT)	Soft White (VWH)	Custom	
VESA Options:					
Direct Mount			(QC) Quick Change		

*Gas Strut Weight Range:
 250N “Ultra-Lightweight” 0.4 to 3 KGS (Available upon request)
 500N “Standard” 2.6 to 7.2 KGS


400N “Lightweight” 0.9 to 4.5 KGS
 950N “Heavy” 6.8 to 13.6 KGS

Multiple Monitors


Multi-Mount (Double)




SA01NK/SMM12MQC-EU



SA02NK/SMM23QC



SA02NK/SMM23XLQC



SA02NK/SMM22QC-EU

Monitor arm	Weight range*	Maximum vertical reach	Maximum horizontal reach	Rotation	Tilt
SA01NK/SMM12MQC-EU	6.8 - 13.6 kg	464mm	520mm	360°	20° +/- 20° -
SA02NK/SMM23QC	6.8 - 13.6 kg	464mm	520mm	360°	20° +/- 20° -
SA02NK/SMM23XLQC	6.8 - 13.6 kg	464mm	520mm	360°	20° +/- 20° -
Projects ONLY: MOQs apply. Please contact Adapt for details.					
SA02NK/SMM22QC-EU	6.8 - 13.6 kg	464mm	520mm	360°	20° +/- 20° -

Colours available:

Black (BLK)	Platinum (PLT)	White (WHT)	Soft White (VWH)	Custom
-------------	----------------	-------------	------------------	--------



VESA Options:

Direct Mount	(QC) Quick Change
--------------	-------------------

*Obligatory gas strut:
950N "Heavy" 6.8 to 13.6 KGS



Multiple Monitors Flyt & SpaceArm



SM01TS/SA012

SM02TS

Monitor arm	Weight range*	Maximum vertical reach	Maximum horizontal reach	Rotation	Tilt
SM01TS	0.4 - 13.6 kg	332mm	660mm	360°	75° +/- 10° -
SA012	0.4 - 13.6 kg	464mm	520mm	360°	20° +/- 20° -
SM02TS	0.4 - 13.6 kg	332mm	660mm	360°	75° +/- 10° -

Colours available:

Black (BLK)	Platinum (PLT)	White (WHT)	Soft White (VWH)	Custom
-------------	----------------	-------------	------------------	--------

VESA Options:

Direct Mount	(QC) Quick Change
--------------	-------------------

*Gas Strut Weight Range:

250N "Ultra-Lightweight" 0.4 to 3 KGS (Available upon request)


500N "Standard" 2.6 to 7.2 KGS

400N "Lightweight" 0.9 to 4.5 KGS

950N "Heavy" 6.8 to 13.6 KGS



Multiple Monitors SpaceArm & Laptop Stand



SA01T/SA012

Monitor arm	Weight range*	Maximum vertical reach	Maximum horizontal reach	Rotation	Tilt
SA01T	0.9 - 4.5 kg	464mm	520mm	360°	N/A
SA012	0.4 - 13.6 kg*	464mm	520mm	360°	20° +/- 20° -

Colours available:

Black (BLK)	Platinum (PLT)	White (WHT)	Soft White (VWH)	Custom
-------------	----------------	-------------	------------------	--------

VESA Options:

Direct Mount	(QC) Quick Change
--------------	-------------------

Mandatory gas pressure spring SA01T:

400N "Lightweight" 0.9 bis 4.5 kg

Weight range for SA012 gas pressure spring:

250N 'Ultra-Lightweight' 0.4 to 3 kg (on request)

500N 'Standard' 2.6 to 7.2 kg

400N 'Lightweight' 9.0 to 4.5 kg

950N 'Heavy' 6.8 to 13.6 kg





Create workspaces that work.

Contact Adapt Deutschland GmbH for more information,
pricing and samples.

+49 (0) 2151 985 190

infode@adapt-deutschland.eu

www.adapt-deutschland.eu